SEQUENCE LISTING

| <110> | BEE, Gary G. YANG, Yeasing Y. KOLK, Dan GIACHETTI, Cristina McDONOUGH, Sherrol H. | |
|--------|--|-----|
| <120> | DETECTION OF HIV-1 BY NUCLEIC ACID AMPLIFICATION | |
| <130> | GP103-02.UT | • * |
| | To Be Assigned 2000-07-07 | |
| | 60/143,072 1999-07-09 | |
| <160> | 57 | |
| <170> | PatentIn Ver. 2.0 | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Description of Artificial Sequence: synthetic capture oligomer | |
| <400> | 1 ' | |
| actgac | egete tegeacecat et | 22 |
| <210> | 2 | |
| <211> | | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Description of Artificial Sequence: synthetic capture oligomer with 3' tail sequence | |
| <400> | 2 | |
| | egcte tegeacecat etttaaaaaa aaaaaaaaaa aaaaaaaaa aaaa | 54 |
| <210> | 3 | |
| <211> | 23 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| | Description of Artificial Sequence: synthetic capture oligomer | |
| <400> | 3 | |
| | aataa cttctgcttc tat | 23 |
| <210> | 4 | |
| <211> | | |
| <212> | | |
| | Artificial Sequence | • |
| <220> | · | |
| <223> | Description of Artificial Sequence: synthetic capture oligomer with 3' tail sequence | |

| ctggaataa cttctgcttc tattttaaaa aaaaaaaaa aaaaaaaaa aaaaaa | 56 |
|--|----|
| <210> 5 <211> 24 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic capture oligomer | |
| <400> 5 tetgetgtee etgtaataaa eeeg | 24 |
| <210> 6 <211> 57 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic capture oligomer with 3' tail sequence | |
| <400> 6 tctgctgtcc ctgtaataaa cccgtttaaa aaaaaaaaa aaaaaaaa aaaaaaa | 57 |
| <210> 7 <211> 23 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | , |
| <400> 7 cgggcgccac tgctagagat ttt | 23 |
| <210> 8 <211> 50 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> 8 aatttaatac gactcactat agggagacgg gcgccactgc tagagatttt | 50 |
| <210> 9 <211> 18 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
| <400> 9 gcctcaataa agcttgcc | 18 |
| <210> 10 <211> 19 <212> DNA | |

| <213> Art: | ificial Sequence | |
|---|--|----|
| <220> <223> Desc | cription of Artificial Sequence: synthetic lification oligomer for HIV-1 pol sequence | |
| <400> 10 acagcagtad | c aaatggcag | 19 |
| <210> 11 <211> 23 <212> DNA <213> Arti | ificial Sequence | |
| <220> | | |
| <220> <223> Desc ampl | cription of Artificial Sequence: synthetic lification oligomer for HIV-1 pol sequence | |
| <400> 11 acaaatggca | a gtattcatcc aca | 23 |
| <210> 12 <211> 28 <212> DNA <213> Arti | ificial Sequence | |
| <220> | | |
| | cription of Artificial Sequence: synthetic lification oligomer for HIV-1 pol sequence | |
| <400> 12 gtttgtatgt | t ctgttgctat tatgtcta | 28 |
| <210> 13 <211> 55 <212> DNA <213> Arti | ificial Sequence | |
| ampl | cription of Artificial Sequence: synthetic lification oligomer with 5' promoter sequence, HIV-1 pol sequence | |
| <400> 13 aatttaatad | c gactcactat agggagagtt tgtatgtctg ttgctattat gtcta | 55 |
| <210> 14 <211> 23 <212> DNA <213> Arts | ificial Sequence | |
| | cription of Artificial Sequence: synthetic lification oligomer for HIV-1 pol sequence | |
| <400> 14 gtttgtatgt | t ctgttgctat tat | 23 |
| <210> 15 <211> 50 <212> DNA <213> Art: | ificial Sequence | |

| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 pol sequence | |
|--|----|
| <400> 15 aatttaatac gactcactat agggagagtt tgtatgtctg ttgctattat | 50 |
| <210> 16 <211> 20 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic oligomer probe | |
| <220> <221> modified_base <222> (7) <223> any base, including inosine | |
| <400> 16 ctggtancta gagatecete | 20 |
| <210> 17 <211> 22 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic oligomer probe | |
| <400> 17 ccacaatttt aaaagaaaag gg | 22 |
| <210> 18 <211> 17 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic oligomer probe | |
| <220> <221> modified_base <222> (8) <223> inosine | |
| <400> 18 ggattggngg gtacagt | 17 |
| <210> 19 <211> 22 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic capture oligomer | |
| <400> 19 acaaccatcc aaargtcagt gg | 22 |
| <210> 20 | |

| <211> 52 <212> DNA <213> Artificial Sequence | |
|--|----|
| <220> <223> Description of Artificial Sequence: synthetic capture oligomer with 3' tail sequence | |
| <400> 20 acaaccatcc aaargtcagt ggaaaaaaaa aaaaaaaaaa aaaaaaaaa aa | 52 |
| <210> 21 <211> 19 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
| <400> 21 cctgttcggg cgccactgc | 19 |
| <210> 22 <211> 43 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> 22 ttaatacgac tcactatagg gagacctgtt cgggcgccac tgc | 43 |
| <210> 23 <211> 21 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | , |
| <400> 23 ggcgccactg ctagagattt t | 21 |
| <210> 24 <211> 48 <212> DNA <213> Artificial Sequence | |
| <220> <223> Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> 24 aatttaatac gactcactat agggagaggc gccactgcta gagatttt | 48 |
| <210> 25 <211> 24 <212> DNA <213> Artificial Sequence | |
| <220> | |

| <223> | Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
|----------------------------------|--|----|
| <400> cgggcg | 25 gccac tgctagagat tttc | 24 |
| <210> <211> <212> <213> | 51 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> aattta | 26 aatac gactcactat agggagacgg gcgccactgc tagagatttt c | 51 |
| <210><211><211><212><213> | 23 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
| <400> gggcgc | 27 ccact gctagagatt ttc | 23 |
| <210><211><211><212><213> | 49 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> aattta | 28 aatac gactcactat agggagaggc gccactgcta gagattttc | 49 |
| <210><211><211><212><213> | 21 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
| <400> gttcgg | 29 ggogo cactgotaga g | 21 |
| <210><211><212><213> | 48 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> | 30 | |

Page 6

| aattta | atac gactcactat agggagagtt cgggcgccac tgctagag | 48 |
|----------------------------------|--|----|
| <210> <211> <212> <213> | 21 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
| <400> ctgttc | 31 gggc gccactgcta g | 21 |
| <210> <211> <212> <213> | 47 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> atttaa | 32 tacg actcactata gggagactgt tcgggcgcca ctgctag | 47 |
| <210> <211> <212> <213> | 24 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
| <400> gcaago | 33 eegag teetgegteg agag | 24 |
| <210> <211> <212> <213> | 51 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 LTR region | |
| <400> aattta | 34 aatac gactcactat agggagagca agccgagtcc tgcgtcgaga g | 51 |
| <210><211><211><212><213> | 26 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 LTR region | |
| <400> gctta | 35 agoot caataaagot tgoott | 26 |
| <210> <211> <212> | 23 | |

| <213> | Artificial Sequence , | |
|----------------------------------|---|---------------------|
| <220> <223> | Description of Artificial Sequence: samplification oligomer for HIV-1 LTR r | synthetic region |
| <400> gcctca | 36 aataa agcttgcctt gag | 23 |
| <210><211><212><212><213> | 23 | |
| <220> <223> | Description of Artificial Sequence: samplification oligomer for HIV-1 LTR r | |
| <400> gcttaa | 37 agcct caataaagct tgc | 23 |
| <210> <211> <212> <213> | 21 | |
| <220> <223> | Description of Artificial Sequence: samplification oligomer for HIV-1 LTR r | |
| <400> ctgctt | 38 caago otcaataaag o | 21 |
| <210> <211> <212> <213> | 20 | |
| <220> <223> | Description of Artificial Sequence: soligomer probe | synthetic |
| <222> | <pre>modified_base (6)(7) any base, including inosine</pre> | |
| <400> ctggtr | 39 uncta gagatecete | 20 |
| <210> <211> <212> <213> | 20 | |
| <220> <223> | Description of Artificial Sequence: soligomer probe | synthetic |
| <400> ggtard | 40 ctaga gatocotoag | 20 |
| <210><211><211><212><213> | 20 | |

| <220> <223> | Description of Artificial Sequence: synthetic oligomer probe | |
|----------------------------------|--|----|
| <400> gactc | 41 tggta actagagatc | 20 |
| <210> <211> <212> <213> | 16 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer for HIV-1 pol sequence | |
| <400> acagca | 42 agtac aaatgg | 16 |
| <210> <211> <212> <213> | 51 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 pol sequence | |
| <400> aattta | 43 aatac gactcactat agggagagta tgtctgttgc tattatgtct a | 51 |
| <210> <211> <212> <213> | 51 | |
| <220> <223> | Description of Artificial Sequence: synthetic amplification oligomer with 5' promoter sequence, for HIV-1 pol sequence | |
| <400> aattta | | 51 |
| <210> <211> <212> <213> | 54 | |
| <220> <223> | Description of Artificial Sequence: synthetic capture oligomer with 3' tail sequence | |
| <400> actgac | 45 gcac tcgcacccat ctttaaaaaa aaaaaaaaaa aaaaaaaaa aaaa | 54 |
| <210><211><211><212><213> | 30 | |
| <220> <223> | Description of Artificial Sequence: synthetic oligomer probe | |

<220>

```
<221> modified_base
<222> (26)
<223> any base, including inosine
<220>
<221> modified_base
<222> (29)
<223> any base, including inosine
<400> 46
                                                                    30
tcatucacaa ttttaaaaga aaaggnggna
<210> 47
<211> 30
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: synthetic
      oligomer probe
<400> 47
                                                                    30
ccacaatttt aaaagaaaag gggggattgg
<210> 48
<211> 30
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: synthetic
      oligomer probe
<400> 48
                                                                    30
gggtacagtg caggggaaag aatagtagac
<210> 49
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: synthetic
      oligomer probe
<400> 49
                                                                    22
gggtacagtg caggggaaag aa
<210> 50
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: synthetic
      oligomer probe
<220>
<221> modified_base
<222> (9)
<223> any base, including inosine
<400> 50
                                                                    18
agaaaaggng ggattggg
<210> 51
<211> 20
```

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: synthetic
       oligomer probe
<220>
<221> modified_base
<222> (4)
<223> any base, including inosine
<220>
<221> modified_base
<222> (13)
<223> any base, including inosine
<400> 51
                                                                     20
aggngggatt ggngggtaca
<210> 52
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
 <223> Description of Artificial Sequence: synthetic
       oligomer probe
<220>
<221> modified_base
 <222> (3)
<223> any base, including inosine
<220>
<221> modified_base
<222> (11)
<223> any base, including inosine
<400> 52
                                                                     20
ggnggattgg ngggtacagt
<210> 53
<211> 19
 <212> DNA
<213> Artificial Sequence
<220>
 <223> Description of Artificial Sequence: synthetic
       oligomer probe
<220>
 <221> modified_base
 <222> (9)
 <223> any base, including inosine
<400> 53
                                                                     19
gggattggng ggtacagtg
 <210> 54
<211> 20
<212> DNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: synthetic
       oligomer probe
```

| <400> 5 cagggga | 54 raaag aatagtagac | | 20 |
|---------------------------------|--|-----------|-----|
| <210> 5 <211> 1 <212> 1 <213> 4 | 17 | | |
| | Description of Artificial Sequence: oligomer probe | synthetic | |
| <400> 5 | 55 gaaag aatagta | | 17 |
| <210> 5 <211> 1 <212> I <213> P | 18 | | |
| | Description of Artificial Sequence: oligomer probe | synthetic | |
| <400> 5 ggggaaa | 56 agaa tagtagac | | _18 |
| <210> 5 <211> 2 <212> 1 <213> A | 22 | | |
| | Description of Artificial Sequence: capture oligomer | synthetic | |
| <400> 5 | 57 gcac togoaccoat ot | • | 22 |